

# Product data sheet Characteristics

# AF1VC820 FIXING SCREW -



Main	
Accessory / separate part category	Mounting accessories
Quantity per set	Set of 10
Star-delta starter component	1/4 turn sliding clip nuts and corresponding bolts

Complementary

Assembly style	For assembly	
Fixing of mechanism	Screws	
Head mounting	M8 x 20	
ISO thread	M8	
Motor power kW	100 KW 200 KW 185 KW 220 KW 315 KW 250 KW 160 KW 90 KW 280 KW	
Motor starter type	Star-delta starters	
Mounting support	Notched AM1-EC rail	
Number of devices	8	
Product compatibility	For uprights AM3-EC	
Net weight	0.024 Kg 0.023 kg	
Shape of screw head	Hexagonal	
Threaded length	20 mm	
Provided equipment	Washer	

#### **Packing Units**

PCE	
1	
2.54 cm	
2.54 cm	
2.54 cm	
9.072 g	
BB1	
10	
2 cm	
5 cm	
	1 2.54 cm 2.54 cm 2.54 cm 9.072 g BB1 10 2 cm

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not the neures of or determining suitability or intensity of these products for specific user applications. It is the documentation is not one use a complete risk analysis, evaluation and festing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or substitatives shall be responsible or liable for misuse of the information contained herein.

Package 2 Length	13 cm	
Package 2 Weight	142 g	
Unit Type of Package 3	CAR	
Number of Units in Package 3	680	
Package 3 Height	15 cm	
Package 3 Width	30 cm	
Package 3 Length	40 cm	
Package 3 Weight	10.062 kg	

### Offer Sustainability

REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	₫Yes

## Contractual warranty

Warranty	10 months
Warranty	18 months
· · · · · · · · · · · · · · · · · · ·	10 months