

Product data sheet Characteristics

GS1AH103

Direct rotary handle, TeSys GS, black handle, front mounting, 2 positions I-O, for GS 32A IEC





Main	
Range of product	TeSys
Range	TeSys
Device short name	GS1AH
Product or component type	Rotary handle
Range compatibility	TeSys TeSys GS GS1 DD FuPact FuPacT GS GSB32 FuPact FuPacT GS GSC32
Type of operating handle	Direct frontal
Handle colour	Black

Complementary

Handle positions	O-I	
Rotary handle padlocking	With	
Switch rated current	32 A	
Standards	IEC	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	4 cm	
Package 1 Width	6.5 cm	
Package 1 Length	7 cm	
Package 1 Weight	44 g	
Unit Type of Package 2	S01	
Number of Units in Package 2	25	
Package 2 Height	15 cm	
Package 2 Width	15 cm	
Package 2 Length	40 cm	
Package 2 Weight	1.295 kg	
1 donage 2 vvoigin	1.200 Ng	

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	☑REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant EPEU RoHS Declaration	
Toxic heavy metal free	Yes	
Mercury free	Yes	
China RoHS Regulation	China RoHS Declaration	
RoHS exemption information	₽¥Yes	

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not interactive for and is not to be used for determining suitability or intensity of these products for specific user applications. It is the dourn and resting of the products with respect to the relevant specific application or use thereof. Neither Schmeider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or itable for misuse of the information contained herein.

Environmental Disclosure	Product Environmental Profile	
Circularity Profile	End Of Life Information	
Contractual warranty		

18 months

Warranty