

Product data sheet Characteristics

ZBL4

red cap unmarked for circular projecting pushbutton Ø22





Main	
Accessory / separate part category	Marking accessory
Accessory / separate part type	Blank push-button cap
Accessory / separate part destination	Push-button head
Cap/operator or lens colour	Red
Shape of signaling unit head	Round

Set of 1

0.001 kg

10

Complementary

Range compatibility	Harmony XB4 Harmony XAL Harmony XB5	
Operator profile	Projecting	
Main group	Push-button	

Quantity per set

quantity

Net weight

Sale per indivisible

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.0 cm
Package 1 Width	1.5 cm
Package 1 Length	10.0 cm
Package 1 Weight	5.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	12.0 cm
Package 2 Width	1.5 cm
Package 2 Length	10.0 cm
Package 2 Weight	14.0 g

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability of these products for specific user applications. This characteristic is not integrated to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

China RoHS Regulation	☑ China RoHS Declaration	
RoHS exemption information	₫Yes	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	End Of Life Information	
Contractual warranty		
Warranty	18 months	