XUSZLPE

Telemecanique Safety light curtains XUSL, laser alignment tool for light curtains type2, type4



Main

Mairi		
Range of product	Telemecanique Safety light curtains XUSL	
Accessory / separate part designation	Laser alignment tool	
Accessory / separate part type	Laser	
Accessory / separate part category	Installation accessories	
Accessory / separate part destination	Safety light curtain type 4 Safety light curtain type 2	

Complementary

Net weight	0.8 kg

Packing Units

Packing Units		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	10.000 cm	
Package 1 Width	11.000 cm	
Package 1 Length	23.000 cm	
Package 1 Weight	427.000 g	
Unit Type of Package 2	S02	
Number of Units in Package 2	3	
Package 2 Height	15 cm	
Package 2 Width	30 cm	
Package 2 Length	40 cm	
Package 2 Weight	1.615 kg	


Offer Sustainability

fer status Green	Premium product
netal free Yes	
phthala and Di- to caus	NG: This product can expose you to chemicals including: Diisononyl te (DINP), which is known to the State of California to cause cancer, isodecyl phthalate (DIDP), which is known to the State of California e birth defects or other reproductive harm. For more information go to 65Warnings.ca.gov
Rohs enquiries contact us at sustain	ability@tesensors.com
Rohs enquiries contact us at sustain	ability@tesensors.com

Product data sheet Dimensions Drawings

XUSZLPE


Dimensions



XUSZLPE

Mounting and Clearance

Laser Alignment Device



- Position of the laser beam 2 AAA batteries (not part of package)