

XXZKITDM6

Ultrasonic Configuration accessory, jumper
M12 Male 4-pin to Deutsch Female 6-pin
connector



Main

Product or component type	Accessory kit
Accessory / separate part destination	Ultrasonic sensor
Product compatibility	XXW - ultrasonic sensor
Accessory / separate part category	Configuration accessories
Accessory / separate part type	Configuration software

Complementary

Connector type	6 pins DTM04-6P connector 4 pins M12 male connector
Material	Plastic and metal

Environment

Ambient air temperature for storage	-20...45 °C
Ambient air temperature for operation	0...45 °C
Relative humidity	95 % without condensation

Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	18.000 cm
Package 1 Length	24.000 cm
Package 1 Weight	55.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	1.424 kg

Offer Sustainability

WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com

Dimensions

Cable with one male M12 4-pin connector and one female Deutsch DTM04 6-pin connector




(1): M12 connector (male, 4-pin).

(2): Deutsch connector DTM04 (female 6-pin).

Connection and schema

Configuration cable

Cable with one male M12 4-pin connector and one female Deutsch DTM04 6-pin connector



(1): M12 connector (male, 4-pin)

(2): Deutsch connector DTM04 (female, 6-pin)

M12 connector		
Pin Number	Wire Color	Description
1	Brown	24 V ■ , power to sensor
2	White	Software communication
3	Blue	0 V ■
4	Black	Software communication

Deutsch connector DTM04		
Pin Number	Wire Color	Description
1	Brown	24 V ■ , power to sensor
2	Blue	0 V ■
3	Black	Software communication
4	White	Software communication
5	—	Contact not connected, equipped with a sealing plug
6	—	Contact not connected, equipped with a sealing plug